



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
RELEASE 1.4

Welcome
United States Patent and Trademark Office

Help [FAQ](#) [Terms](#) [IEEE](#) [Quick Links](#) [» Search Results](#)

Peer Review

10/042713

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched **1** of **945031** documents.
A maximum of **1** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.
You may refine your search by editing the current search expression or entering a new one the text box.

Then click **Search Again**.

animation and 3d and transformation and movement

[Search Again](#)

Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

1 Model-based motion compensated compression for synthetic animations

Chaddha, N.;

Data Compression Conference, 1996. DCC '96. Proceedings , 31
March-3 April 1996

Page(s): 427

[\[Abstract\]](#) [\[PDF Full-Text \(80 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore®**
RELEASE 1.4Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE](#) | [Quick Links](#)[» Search Results](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Your search matched **1** of **945031** documents.A maximum of **1** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Then click **Search Again**.

3d transformation and cluster

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Results:Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 Acceleration of convergence for the higher-order Whitney element FEM analysis of antennas and electromagnetic scattering***Yioultsis, T.V.; Cangellaris, A.C.;*

Antennas and Propagation Society International Symposium, 2002.

IEEE, Volume: 4, 16-21 June 2002

Page(s): 698 -701 vol.4

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

[Print Format](#)[\[Abstract\]](#) [\[PDF Full-Text \(299 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved



Subscribe Register Login
(Full Service) (Limited Service, Free)

Search: ☐ The Guide ☒ The ACM Digital Library

3D and tranformation and animation and vertex and cluster and movement

THE ACM DIGITAL LIBRARY

Feedback

Terms used 3D and tranformation and animation and vertex and cluster and movement

Sort results by

relevance

Display results

expanded form

☒ Save results to a Binder
☒ Search Tips
☐ Open results in a new window

Try Try

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10
Best 200 shown

- 1

Compression of time-dependent geometry

Jerome Edward Lengyel

April 1999 Proceedings of the 1999 symposium on Interactive 3D graphics

Full text available: pdf(1.32 MB) Additional Information: full citation, references, citings, index terms
- 2

Heads, faces, hair: A practical model for hair mutual interactions

Johnny T. Chang, Jingyi Jin, Yizhou Yu

July 2002 Proceedings of the ACM SIGGRAPH symposium on Computer animation

Full text available: pdf(2.41 MB) Additional Information: full citation, abstract, references

Hair exhibits strong anisotropic dynamic properties which demand distinct dynamic interactions. While a single strand can be modeled as a multibody open chain experiment, modeling hair-hair interactions is a more difficult problem. A dynamic model for a sparse set of guide strands. Long range connections among the strands are modeled as nonreversible positional ...


Keywords: collision detection, hair animation, hair rendering, hair-hair interaction
- 3

Making faces


Brian Guenter, Cindy Grimm, Daniel Wood, Henrique Malvar, Fredric Pighin

July 1998 Proceedings of the 25th annual conference on Computer graphics and interactive techniques

Full text available: pdf(1.70 MB) Additional Information: full citation, references, citings, index terms


- 4 The relative contributions of stereo, lighting, and background scenes in pro
Geoffrey S. Hubona, Philip N. Wheeler, Gregory W. Shirah, Matthew Brandt
September 1999 ACM Transactions on Computer-Human Interaction (TOCHI), Vo
Full text available:  pdf(1.59 MB) Additional Information: full citation, references, index terms

Keywords: 3D user interfaces, cue theory, depth perception, shadows, stereosco


- 5 User interfaces: Management and visualization of large, complex and time-
GIS
S. Shumilov, A. Thomsen, A. B. Cremers, B. Koos
November 2002 Proceedings of the tenth ACM international symposium on Advances
Full text available:  pdf(856.25 KB) Additional Information: full citation, abstract, reference

This paper presents solutions for architectures of distributed GIS employed for la
with more traditional GIS. Key technologies are proposed for dealing with comple
These techniques are then illustrated on a prototype system developed to suppor
employed by existing geological 3D modeling tools. This prototype has already b
construction of large 3D and 4D ...

Keywords: 3D/4D geological modeling, CORBA, Java, VRML, VTK, animation, dat
spatial databases, mesh decimation, open GIS, progressive transmission, tempoi

- 6 Visibility sorting and compositing without splitting for image layer decompos
John Snyder, Jed Lengyel
July 1998 Proceedings of the 25th annual conference on Computer graphics and in
Full text available:  pdf(591.53 KB) Additional Information: full citation, references, citings,

Keywords: compositing, kd-tree, nonsplitting layered decomposition, occlusion c
sorting

- 7 Animation: SnakeToonz: a semi-automatic approach to creating cel animati
Aseem Agarwala
June 2002 Proceedings of the second international symposium on Non-photorealist
Full text available:  pdf(639.81 KB) Additional Information: full citation, abstract, reference

SnakeToonz is an interactive system that allows children and others untrained in
cartoons from video streams and images. The ability to create cartoons has tradi
animation houses and trained artists. SnakeToonz aims to give anyone with a vic
create compelling cel animation. This is done by combining constraints of the car
and analysis of that in ...

8 Information visualisation using composable layouts and visual sets

Tim Pattison, Rudi Vernik, Matthew Phillips

December 2001

Australian symposium on Information visualisation - Volume

Full text available:  pdf(1.92 MB)

Additional Information: full citation, abstract, ref

This paper demonstrates the application of graph drawing and information visual information which can be modelled as an attributed graph. An attributed graph contains different types of information, including system descriptions and database content. Layouts and Visual Sets (CLOVIS) class of views, and describe supporting software user interface for ...

Keywords: attributed graph, clustered graph, database visualisation, graph drawing map

9 A method for progressive and selective transmission of multi-resolution models

Danny S. P. To, Rynson W. H. Lau, Mark Green

December 1999

Proceedings of the ACM symposium on Virtual reality software and

Full text available:  pdf(2.44 MB)

Additional Information: full citation, abstract, references, citations

Although there are many adaptive (or view-dependent) multi-resolution methods for transmission and reconstruction has not been addressed. A major reason for this is the large portion of the hierarchical data structure to be available at the client before dependency constraints. In this paper, we present an efficient multi-resolution method for selective transmission ...

10 HLODs for faster display of large static and dynamic environments

Carl Erikson, Dinesh Manocha, William V. Baxter

March 2001

Proceedings of the 2001 symposium on Interactive 3D graphics

Full text available:  pdf(2.80 MB)

Additional Information: full citation, references, citations, index terms

Keywords: CAD, graphics systems, interactive display, level-of-detail algorithms,

11 Representation conversions: Discretization of functionally based heterogeneous

Elena Kartasheva, Valery Adzhiev, Alexander Pasko, Oleg Fryazinov, Vladimir Gasilov
June 2003 Proceedings of the eighth ACM symposium on Solid modeling and applications

Full text available:  pdf(1.43 MB)

Additional Information: full citation, abstract, references, citations

The presented approach to discretization of functionally defined heterogeneous objects associated with numerical simulation procedures, for example, finite element analysis, involves specific constraints upon the resulting surface and volume meshes in terms of the exactness of the geometry approximation, and conformity with initial attributes. The object is converted ...

Keywords: attributes, cellular representation, constructive hypervolume, finite element, heterogeneous objects, mesh, volume modeling

12 Collaboration, earth, and graphs: Parallel performance optimization of large scale visualization for the earth simulator

L. Chen, I. Fujishiro, K. Nakajima

September 2002 Proceedings of the Fourth Eurographics Workshop on Parallel Graphics

Full text available:  pdf(560.75 KB)

Additional Information: full citation, abstract, references, citations

This paper describes some efficient parallel performance optimization strategies for large scale visualization on SMP cluster machines including the Earth Simulator in Japan. Techniques employed in our implementation, consisting of message passing for inter-SMP node communication, OpenMP for intra-SMP node parallelization, and vectorization for each processing unit, are discussed. The speedup performance for the hybrid ...

13 Three-dimensional object recognition

Paul J. Besl, Ramesh C. Jain

March 1985 ACM Computing Surveys (CSUR), Volume 17 Issue 1

Full text available:  pdf(7.76 MB)

Additional Information: full citation, abstract, references, citations

A general-purpose computer vision system must be capable of recognizing three-dimensional objects. This paper proposes a precise definition of the 3-D object recognition problem, discusses background and reviews the relevant literature. Because range images (or depth maps) are commonly used in computer vision, techniques for obtaining, processing, and characterizing range ...

14 Articulated body deformation from range scan data

Brett Allen, Brian Curless, Zoran Popović

July 2002 ACM Transactions on Graphics (TOG) , Proceedings of the 29th annual conference on computer graphics and interactive techniques, Volume 21 Issue 3

Full text available:  pdf(2.84 MB)

Additional Information: full citation, abstract, references, citations


This paper presents an example-based method for calculating skeleton-driven body deformation. The method consists of range scans of a human body in a variety of poses. Using markers captured in the scans, we can construct a kinematic skeleton and identify the pose of each scan. We then construct a deformation parameterization of all the scans using a poseable subdivision surface template. The deformation is then applied to the displacements from this surface, and holes are filled.

Keywords: animation, character animation, deformation, human body simulation

15 Non-photorealistic rendering: Fast primitive distribution for illustration

Adrian Secord, Wolfgang Heidrich, Lisa Streit

July 2002 Proceedings of the 13th workshop on Rendering

Full text available:  pdf(1.64 MB)

Additional Information: full citation, abstract, references, citations


In this paper we present a high-quality, image-space approach to illustration that probabilistically distributes primitives while maintaining interactive rates. Our method maintains coherence by matching movements of primitives with changes in the input image. We draw different drawing styles by varying the primitive type or direction. We show that our approach (depending on the drawing style) achieves high quality results.

16 A survey of image registration techniques

Lisa Gottesfeld Brown

December 1992

ACM Computing Surveys (CSUR), Volume 24 Issue 4

Full text available:  pdf(5.20 MB)

Additional Information: full citation, abstract, references, citations

Registration is a fundamental task in image processing used to match two or more images taken at different times, from different sensors, or from different viewpoints. Virtually all image processing tasks that require the registration of images, or a closely related operation, as an intermediate step. Applications where image registration is a significant component include matching a target with a template, image recognition, motion tracking, and image stitching.

Keywords: image registration, image warping, rectification, template matching

17 Perception-guided global illumination solution for animation rendering

Karol Myszkowski, Takehiro Tawara, Hiroyuki Akamine, Hans-Peter Seidel

August 2001 Proceedings of the 28th annual conference on Computer graphics and

Full text available:  pdf(493.13 KB)

Additional Information: full citation, abstract, references, ci

We present a method for efficient global illumination computation taking advantage of temporal coherence of lighting distribution. A framework of stochastic photon tracing and density estimation to energy-based error metric is used to prevent photon processing scene regions in which lighting distribution changes rapidly. A pe suitable for animation is u ...

Keywords: Monte Carlo techniques, animation, human factors, ill

18 Approximating polyhedra with spheres for time-critical collision detection

Philip M. Hubbard

July 1996

ACM Transactions on Graphics (TOG), Volume 15 Issue 3

Full text available:  pdf(5.63 MB)

Additional Information: full citation, references, citings, inde

Keywords: approximation, collision detection, interactive systems, medial-axis st

19 Video Rewrite: driving visual speech with audio

Christoph Bregler, Michele Covell, Malcolm Slaney

August 1997 Proceedings of the 24th annual conference on Computer graphics and i

Full text available:  pdf(179.44 KB)

Additional Information: full citation, references, citings, index t

Keywords: facial animation, lip sync

20 Sensor networks: Lightweight sensing and communication protocols for target

Qing Fang, Feng Zhao, Leonidas Guibas

June 2003 Proceedings of the fourth ACM international symposium on Mobile ad hoc

Full text available:  pdf(331.14 KB)

Additional Information: full citation, abstract, reference

The development of lightweight sensing and communication protocols is a key requirement for constrained sensor networks. This paper introduces a set of efficient protocols for constructing and maintaining sensor aggregates that collectively monitor target. An aggregate comprises those nodes in a network that satisfy a grouping predicate. The parameters of the predicate depend on the application.

Keywords: applications for ad hoc networks, distributed algorithms for ad hoc networks, sensor networks, self-configuration in ad hoc networks

Results 1 - 20 of 200

Result page: **1** 2 3 4 5 6 7

The ACM Portal is published by the Association for Computing Machinery. Contact Us

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  Adobe Acrobat  QuickTime  Windows Media

WEST Search History

101 042713

DATE: Tuesday, July 01, 2003

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT,PGPB; PLUR=YES; OP=OR

L17 L16 and transform\$4 and cluster and vertex 4 L17

L16 ((345/440)!.CCLS.) 714 L16

L15 ((345/420)!.CCLS.) 559 L15

L14 L13 and transform\$4 same 3D and animation and vertex and skeleton
and movement 0 L14*DB=USPT; PLUR=YES; OP=OR*

L13 ((345/427)!.CCLS.) 469 L13

DB=USPT,PGPB; PLUR=YES; OP=OR

L12 L11 and skeleton 4 L12

L11 L10 and cluster 15 L11

L10 transform\$4 same (vertex or cluster) and animation and movement and
parallel 81 L10

L9 L8 and cluster 0 L9

L8 animation and 3D same transform\$4 and movement and parallel and
skeleton and joint 6 L8L7 animation and 3D same transform\$4 and movement and parallel and
cluster and skeleton and joint 0 L7

L6 L5 and movement 1 L6

L5 L3 and 3D same transform\$4 and vertex and skeleton 2 L5

L4 L3 and 3D same transform\$4 and cluster 0 L4

L3 ((345/474)!.CCLS.) 262 L3

L2 ((345/473)!.CCLS.) 757 L2

L1 game and 3D same transform\$4 and skeleton and vertex and movement
and cluster 1 L1

END OF SEARCH HISTORY

WEST Search History

DATE: Monday, June 30, 2003

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT,PGPB; PLUR=YES; OP=OR

L14	L13 and amount	3	L14
L13	3D same transform\$4 same animation and cluster and movement and parallel	4	L13
L12	L11 and cluster	0	L12
L11	L3 and transform\$5 and 3D and vertex and parallel and movement	4	L11
L10	L3 and transform\$5 and 3D and vertex and parallel same movement	0	L10
L9	L3 and transform\$5 and 3D and vertex parallel same movement	164666	L9
L8	L3 and transform\$5 and 3D and parallel near movement	0	L8
L7	L3 and transform\$5 and 3D and vertex and parallel near movement	0	L7
L6	L3 and transform\$5 and 3D and vertex and parallel near4 movement	0	L6
L5	L3 and transform\$5 and 3D and cluster	0	L5
L4	L3 and transform\$5 and 3D and cluster and movement	0	L4
L3	L2 and l1	105	L3
L2	((345/474)!.CCLS.)	262	L2
L1	((345/473)!.CCLS.)	755	L1

END OF SEARCH HISTORY